








## HZB LIGHTING | LEIBI LIGHTING | YGY LIMITED

Add:BLD 5, No.15 GUANGLE WEST ROAD, GUANGFENG LIEXIYI, XIAOLAN, ZHONGSHAN, GUANGDONG, CHINA.


Mobile/Whatsapp/Wechat:0086 136 3277 4095 Email: bigjack@soo-led.com Contact: Big Jack Wei TEL:86-760-89812195 FAX:86-760-88756007

<b>Solar Outdoor Garden Light-T33</b>							
Picture	Model NO.	Watt	Quantity ( PCS)	Unit Price(USD) ( Not include pole )	Specifications	Package Size	Remarks
	<b>Solar Garden Light-T33</b>	6W	< 50PCS	<b>Pleae Email for the Prices</b>	solar panel : matching 10W Battery capacity : 3.7V/5AH IP rate : IP65 Chip : Osram luminous Efficiency : 100LM/W CRI : 70 Light Angle : 120 Housing material : ABS plastic Warranty : 2years	product Size : 400*80*150MM Packing Size : 44*32*25CM G.W : 2.25KG Qty of Package : 1PCS	light-control full power (2-3 rainy days ),Normal operate 11H,with light induction.
			< 100PCS				
			>100PCS				
		10W	< 50PCS		solar panel : matching 20W Battery capacity : 7.4V/8AH IP rate : IP65 Chip : Osram luminous Efficiency : 100LM/W CRI : 70 Light Angle : 120 Warranty : 2years	product Size : 400*80*150MM Packing Size : 44*32*25CM G.W : 2.25KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn),lighting 365 days,with light induction.Normal operate 11H.
			< 100PCS				
			>100PCS				
		15W	< 50PCS		solar panel : matching 30W Battery capacity : 11.1V/11AH IP rate : IP65 Chip : BRIDGELUX luminous Efficiency : 100LM/W CRI : 70 Light Angle : 120 Warranty : 2years	product Size : 400*80*150MM Packing Size : 54*40*35CM G.W : 2.78KG Qty of Package : 1PCS	light-control+timing control (5H full power,Half power till dawn)(2-3 rainy days ),Normal operate 11H,lighting 365 days,with light induction.
			< 100PCS				
			>100PCS				
		25W	< 50PCS		solar panel : matching 40W Battery capacity : 11.1V/15AH IP rate : IP65 Chip : BRIDGELUX luminous Efficiency : 100LM/W CRI : 70 Light Angle : 120 Warranty : 2years	product Size : 400*80*150MM Packing Size : 54*40*35CM G.W : 2.78KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn)(2-3 rainy days ),Normal operate 11H,lighting 365 days,with light induction.
			< 100PCS				
			>100PCS				


### Solar Intelligent Street Light-T31(Kongming Series)

Picture	Model NO.	Watt	Quantity ( PCS)	Unit Price(RMB)	Specifications	Package Size	Remarks
	<b>Solar Intelligent Street Light-T31(Kongming Series)</b>	10W	< 50PCS		solar panel : matching 20W Battery capacity : 11.1V/5AH IP rate : IP65	product Size : 385*150*60MM Packing Size : 88.5*23.5*58.5CM G.W : 3.5KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn) , Normal operate 11H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS		Chip : BRIDGELUX luminous Efficiency : 70LM/W CRI : 70		
			>100PCS		Light Angle : 120 Warranty : 2years		
		20W	< 50PCS		solar panel : matching 30W Battery capacity : 11.1V/13AH IP rate : IP65	product Size : 495*215*70MM Packing Size : 88.5*23.5*58.5CM G.W : 3.7KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn)(2-3 rainy days ),Normal operate 11H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS		Chip : BRIDGELUX luminous Efficiency : 70LM/W CRI : 70		
			>100PCS		Light Angle : 120 Warranty : 2years		
		30W	< 50PCS		solar panel : matching 50W Battery capacity : 11.1V/18AH IP rate : IP65	product Size : 520*220*70MM Packing Size : 88.5*23.5*58.5CM G.W : 3.95KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn) , Normal operate 11H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS		Chip : BRIDGELUX luminous Efficiency : 70LM/W CRI : 70		
			>100PCS		Light Angle : 120 Warranty : 2years		
		50W	< 50PCS		solar panel : matching 70W Battery capacity : 11.1V/30AH IP Rate : IP65	product Size : 520*220*70MM Packing Size : 88.5*23.5*58.5CM G.W : 3.95KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn) , Normal operate 11H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS		Chip : BRIDGELUX luminous Efficiency : 70LM/W CRI : 70		
			>100PCS		Light Angle : 120 Warranty : 2years		



### Solar Intelligent Street Light-T32(Brush Series)

	<b>Solar Intelligent Street Light-T32(Brush Series)</b>	10W	< 50PCS	solar panel : matching 15W Battery capacity : 3.7V/5AH	product Size : 350*150*60MM Packing Size : 38*13*42CM G.W : 3.7KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn)(2-3 rainy days ),Normal operate 11H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS	IP rate : IP65 Chip : Osram		
			>100PCS	luminous Efficiency : 70LM/W CRI : 70 Light Angle : 120 Warranty : 2years		
		20W	< 50PCS	solar panel : matching 30W Battery capacity : 11.1V/11AH	product Size : 500*230*80MM Packing Size : 54*26*92CM G.W : 3.85KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn)(2-3 rainy days ),Normal operate 10H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS	IP rate:IP65 Chip : Osram		
			>100PCS	luminous Efficiency : 70LM/W CRI : 70 Light Angle : 120 Warranty : 2years		
		30W	< 50PCS	solar panel : matching 40W Battery capacity : 11.1V/16AH	product Size : 500*230*80MM Packing Size : 55*25*92CM G.W : 3.85KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn),Normal operate 11H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS	IP rate : IP65 Chip : Osram		
			>100PCS	luminous Efficiency : 70LM/W CRI : 70 Light Angle : 120 Warranty : 2years		
		50W	< 50PCS	solar panel : matching 60W Battery capacity : 11.1V/20AH	product Size : 620*260*80MM Packing Size : 65*30*12CM G.W : 4.78KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn),Normal operate 11H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS	IP rate : IP65 Chip : Osram		
			>100PCS	luminous Efficiency : 70LM/W CRI : 70 Light Angle : 120 Warranty : 2years		


### Solar Intelligent Street Light-G10(Baojian Series)

Picture	Model NO.	Watt	Quantity ( PCS)	Unit Price(RMB)	Specifications	Package Size	Remarks
	Solar Intelligent Street Light-G10(Baojian Series)	10W	< 50PCS		solar panel : matching 15W Battery capacity : 3.7V/5AH	product Size : 350*150*60MM Packing Size : 38*13*42CM G.W : 3.7KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn)(2-3 rainy days ),Normal operate 11H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS		IP rate : IP65 Chip : Osram		
			>100PCS		luminous Efficiency : 70LM/W CRI : 70 Light Angle : 120 Warranty : 2years		
		20W	< 50PCS		solar panel : matching 30W Battery capacity : 11.1V/11AH	product Size : 500*230*80MM Packing Size : 54*26*92CM G.W : 3.85KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn),Normal operate 10H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS		IP rate : IP65 Chip : Osram		
			>100PCS		luminous Efficiency : 70LM/W CRI : 70 Light Angle : 120 Warranty : 2years		
		30W	< 50PCS		solar panel : matching 40W Battery capacity : 11.1V/16AH	product Size : 500*230*80MM Packing Size : 55*25*92CM G.W : 3.85KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn),Normal operate 11H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS		IP rate : IP65 Chip : Osram		
			>100PCS		luminous Efficiency : 70LM/W CRI : 70 Light Angle : 120 Warranty : 2years		
		50W	< 50PCS		solar panel : matching 60W Battery capacity : 11.1V/20AH	product Size : 620*260*80MM Packing Size : 65*30*12CM G.W : 4.78KG Qty of Package : 1PCS	light-control+time control (5H full power,Half power till dawn),Normal operate 11H,lighting 365 days,with light induction.Equipped with mounting bracket.
			< 100PCS		IP rate : IP65 Chip : Osram		
			>100PCS		luminous Efficiency : 70LM/W CRI : 70 Light Angle : 120 Warranty : 2years		


### Solar & Induction Street Light-G11

Picture	Model NO.	Watt	Quantity ( PCS)	Unit Price(RMB)	Specifications	Package Size	Remarks
 	Solar & Induction Street Light-G11	10W	< 50PCS		solar panel : matching 7W Battery capacity : 3.7V/5AH IP rate : IP65	product Size : 410*220*41.5MM Packing Size : 61*2*41.5CM G.W : 18.7KG Qty of Package : 10PCS	light-control+body induction (5H full power,Half power till dawn),Normal operate 11H,with body induction, 100% brightness when people come, 30% when people left.
			< 100PCS		Chip : Osram luminous Efficiency : 100LM/W CRI : 70		
			>100PCS		Light Angle : 120 Warranty : 2years		
		20W	< 50PCS		solar panel : matching 10W Battery capacity : 3.7V/8AH IP rate : IP65	product Size : 510*240*70MM Packing Size : 73*24*52CM G.W : 27.8KG Qty of Package:10PCS	light-control+body induction (5H full power,Half power till dawn),Normal operate 11H,with body induction, 100% brightness when people come, 30% when people left.
			< 100PCS		Chip : Osram luminous Efficiency : 100LM/W CRI : 70		
			>100PCS		Light Angle : 120 Warranty : 2years		
		30W	< 50PCS		solar panel : matching 15W Battery capacity : 3.7V/11AH IP Rate : IP65	product Size : 640*250*70MM Packing Size : 64*36*26.5CM G.W : 18KG Qty of Package : 5PCS	light-control+body induction (5H full power,Half power till dawn),Normal operate 11H,with body induction, 100% brightness when people come, 30% when people left.
			< 100PCS		Chip : Osram luminous Efficiency : 70LM/W CRI : 70		
			>100PCS		Light Angle : 120 Warranty : 2years		

### Solar Remote Control Floodlight-Y20

Picture	Model NO.	Watt	Quantity ( PCS)	Unit Price(RMB)	Specifications	Package Size	Remarks
	Solar Remote control Floodlight-Y20	10W	< 50PCS		solar panel : matching10W Battery capacity : 3.7V/4AH	product Size : 181*158*50MM Packing Size : 55*31*40CM G.W : 8.5KG Qty of Package : 10PCS	light-control+ remote control, Auto set work mode,with light induction.
			< 100PCS		IP rate : IP65 Chip : Osram		
			>100PCS		luminous Efficiency : 100LM/W CRI : 70 Light Angle : 120 Warranty : 2years		
		20W	< 50		solar panel : matching15W Battery capacity : 3.7V/6AH	product Size : 181*158*50MM Packing Size : 55*31*40CM G.W : 10.25KG Qty of Package : 10PCS	light-control+ remote control, Auto set work mode,with light induction.
			< 100		IP rate : IP65 Chip : Osram		
			>100PCS		luminous Efficiency : 100LM/W CRI : 70 Light Angle : 120 Warranty : 2years		
		30W	< 50PCS		solar panel : matching20W Battery capacity : 3.7V/11AH	product Size : 196*170*52MM Packing Size : 46.5*44*39CM G.W : 14.25KG Qty of Package : 5PCS	light-control+ remote control, Auto set work mode,with light induction.
			< 100PCS		IP rate : IP65 Chip : Osram		
			>100PCS		luminous Efficiency : 100LM/W CRI : 70 Light Angle : 120 Warranty : 2years		
		50W	< 50PCS		solar panel : matching30W Battery capacity : 3.7V/16AH	product Size : 285*255*57MM Packing Size : 41.5*37.5*60CM G.W : 15.13KG Qty of Package : 5PCS	light-control+ remote control, Auto set work mode,with light induction.
			< 100PCS		IP rate : IP65 Chip : Osram		
			>100PCS		luminous Efficiency : 100LM/W CRI : 70 Light Angle : 120 Warranty : 2years		

### Light Pole

Picture	Model NO.	Watt	Quantity ( PCS)	Unit Price(RMB)	Specifications	Package Size	Remarks
	3m light pole		< 50PCS		3.1m Height,black	product Size : 3M Packing Size : 150CM*80M*50CM G.W : Qty of Package:2PCS/nos	equipped with explosive bolt, divided into several parts in package, Convenient transportation and easy installation.
			< 100PCS				
			>100PCS				